


thebreastcentre.com.au

INVASIVE BREAST CANCER DIAGNOSIS
 BILATERAL MAMMOGRAM
 BREAST ULTRASOUND
 CORE BIOPSY BREAST
 ?CORE BIOPSY/FNA AXILLARY NODE
 CLINICAL BREAST EXAMINATION
 ?BREAST MRI
 ?GENETIC TESTING

BREAST CANCER SURGICAL TREATMENT ALGORITHM
 Jane O'Brien MBBS FRACS
 Specialist Oncoplastic Breast Cancer Surgeon



BCT-BREAST CONSERVING THERAPY
 /LUMPECTOMY/WIDE LOCAL EXCISION
 SLNB-SENTINEL NODE BIOPSY
 ALND-AXILLARY NODE DISSECTION/CLEARANCE
 XRT-RADIATION
 PMRT-POST MASTECTOMY RADIATION
 NSM-NIPPLE-SPARING MASTECTOMY
 SSM-SKIN-SPARING MASTECTOMY
 HR+-HORMONE RECEPTOR+ VE

SURGERY

ADJUVANT CHEMO

XRT

ENDOCRINE THERAPY

CHEMOTHERAPY IF REQUIRED:
 CONSIDER GENOMIC TEST IF HR+
 ANTHRACYCLINE /TAXANE SEQUENCE OR DOCETAXOL/CYCLOPHOSPHAMIDE
 +/- HER2 BLOCKADE (HERCEPTIN) OR PACLITAXEL/ERCEPTIN

RADIO THERAPY TO CONSERVED BREAST

POSTMASTECTOMY RADIO THERAPY (PMRT)

ANTIOESTROGEN THERAPY IF HR+:
 ADJUVANT ENDOCRINE THERAPY; MINIMUM 5 YRS; IF HIGH RISK EXTENDED FOR UP TO 7-10 YRS
 PREMENOPAUSAL : TAMOXIFEN; IF HIGH RISK GHRN ANALOGUE (ZOLADEX) AND TAMOXIFEN OR AROMATASE INHIBITOR
 POSTMENOPAUSAL : AROMATASE INHIBITOR OR TAMOXIFEN UPFRONT OR IN SEQUENCE WITH EACH OTHER